

Холодильники для хранения крови большой емкости ХС-1380L, ХС-1378L

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: mgm@nt-rt.ru || сайт: <https://meling.nt-rt.ru/>



Meling 4°C Blood Bank Refrigerator XC-1378L

- Environment-friendly hydrocarbon refrigerant
- Temperature uniformity $\leq \pm 1^{\circ}\text{C}$
- 304 Stainless steel drawers
- Self-closing design, hovering above 90° and self-closing within 90°
- USB data can be exported and stored once every 5 minutes by default, with a maximum support of 10 years.

Overview

Meling large capacity blood bank refrigerator XC-1378L and XC-1380L , suitable for blood stations, hospitals, research institutes, centers for disease control and prevention and other places that need to preserve Concentrated red blood cell (CRC) , Leukocyte-Poor Red Cell (LPRC) , Red cell suspension (CRCs) ,Washed red blood cells (WRC) ,Frozen red blood cell (FTRC) and Full blood.

Large capacity

400ml/450ml blood bagscan store up to768 / 624 pieces.

Environment-friendly hydrocarbon refrigerant

The environmentally friendly Freon-free refrigerant and high-efficiency enclosed compressor supplied by a famous brand can ensure energy saving and low noise.

Security System

·Perfect audible and visual alarm system comes with alarm functions for high temperature, low temperature, sensor failure, door ajar,and power failure.

Human-oriented

304 Stainless steel drawers

400ml/450ml blood bagscan store up to768 / 624 pieces.

Self-closing door design, the door will hover when it is opened more than 90°, and will close automatically when it is opened less than 90 °

Features

Temperature uniformity $\leq \pm 1^{\circ}\text{C}$

USB data can be exported and stored once every 5 minutes by default, with a maximum support of 10 years.L

Self-closing door design, the door will hover when it is opened more than 90°, and will close automatically when it is opened less than 90 °

Audible and visible alarm system with high/low temperature alarm, power failure alarm, door ajar alarm, power failure alarm,etc.

large capacity, 400ml/450ml blood bagscan store up to768 / 624 pieces.

Intended Use

The refrigerator is used for storing blood product; is applicable to blood stations, hospitals, epidemic prevention stations, research institutes etc.

Specifications

4°C Blood Bank Refrigerator

Model	XC-1378L
Cabinet typeypeCbincaCabinet Typeet Type	Upright
Capacity(L)	1378
Internal size(W*D*H)mm	1460*680*1512

External size(W*D*H)mm	1560*940*1978
NW(Kgs)	443
Performance	
Temperature range	2~6℃
Ambient temperature	16-32℃
Climate class	N
Refrigeration	
Compressor	1pc
Cooling method	Air cooling
Defrost mode	Automatic
Refrigerant	R600a
Insulation thickness(mm)	L:67,R:50, B:50
Construction	
External material	PCM
Inner material	Stainless steel
Drawers	12(Stainless steel drawer)
Alarm	
Temperature	High/Low temperature,High ambient temperature
Electrical	Power failure , Low battery
System	Sensor failure,Door ajar,Condenser overheating,Communication error
Accessories	
Standard	RS485,Remote alarm contact
Option	Chart recorder



Meling Large Capacity 4°C Blood Bank Refrigerator XC-1380L

- Environment-friendly hydrocarbon refrigerant
- Temperature uniformity $\leq \pm 1^{\circ}\text{C}$
- 304 Stainless steel
- Self-closing design, hovering above 90° and self-closing within 90°
- USB data can be exported and stored once every 5 minutes by default, with a maximum support of 10 years.

Meling large capacity blood bank refrigerator XC-1380L , suitable for blood stations, hospitals, research institutes, centers for disease control and prevention and other places that need to preserve Concentrated red blood cell (CRC) , Leukocyte-Poor Red Cell (LPRC) , Red cell suspension (CRCs) ,Washed red blood cells (WRC) ,Frozen red blood cell (FTRC) and Full blood.

Large capacity

400ml/450ml blood bagscan store up to768 / 624 pieces.

Environment-friendly hydrocarbon refrigerant

The environmentally friendly Freon-free refrigerant and high-efficiency enclosed compressor supplied by a famous brand can ensure energy saving and low noise.

Security System

Perfect audible and visual alarm system comes with alarm functions for high temperature, low temperature, sensor failure, door ajar,and power failure.

Human-oriented

304 Stainless steel

400ml/450ml blood bagscan store up to768 / 624 pieces.

Self-closing door design, the door will hover when it is opened more than 90°, and will close automatically when it is opened less than 90 °

Features

Temperature uniformity $\leq \pm 1^{\circ}\text{C}$

USB data can be exported and stored once every 5 minutes by default, with a maximum support of 10 years.

Self-closing door design, the door will hover when it is opened more than 90°, and will close automatically when it is opened less than 90 °

Audible and visible alarm system with high/low temperature alarm, power failure alarm, door ajar alarm, power failure alarm,etc.

large capacity, 400ml/450ml blood bagscan store up to768 / 624 pieces.

Intended Use

The refrigerator is used for storing blood product; is applicable to blood stations, hospitals, epidemic prevention stations, research institutes etc.

Specifications

4°C Blood Bank Refrigerator

Model	XC-1380L
Cabinet typeypeCbincaCabinet Typeet Type	Upright
Capacity(L)	1380
Internal size(W*D*H)mm	1460*685*1512

External size(W*D*H)mm	1560*940*1978
NW(Kgs)	367
Performance	
Temperature range	2~6℃
Ambient temperature	16-32℃
Climate class	N
Refrigeration	
Compressor	1pc
Cooling method	Air cooling
Defrost mode	Automatic
Refrigerant	R600a
Insulation thickness(mm)	L:67,R:50, B:50
Construction	
External material	PCM
Inner material	Stainless steel
shelves	12(Stainless steel shelves)
Alarm	
Temperature	High/Low temperature,High ambient temperature
Electrical	Power failure , Low battery
System	Sensor failure,Door ajar,Condenser overheating,Communication error
Accessories	
Standard	RS485,Remote alarm contact
Option	Chart recorder

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: mgm@nt-rt.ru || сайт: <https://meling.nt-rt.ru/>